



BANGOR—Plate F 2053 E

“Standard” Vitreous China BANGOR Lavatory with Oval Bowl and Back; supported on Square Vitreous China Pedestal. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression Faucets with Four Arm China Handles, N. P. $\frac{3}{8}$ -inch Wall Supply Pipes with China Index Stops and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Size	Actual Width	Actual Length	Size of Bowl	Height of Back
20 x 24"	20"	24"	12 $\frac{1}{2}$ x 16"	6"

PRICES

Size	20 x 24"	
Plate F 2053 E, as described		\$51.00
Plate F 2053, less all Fittings		33.00

The BANGOR Lavatory can also be furnished cut for Standing Waste, Combination or Chain and Plug.



RANDALL—Plate F 2058 E

“Standard” Vitreous China RANDALL Lavatory with Oval Bowl and Back; supported on Vitreous China Leg. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Size	Actual Width	Actual Length	Size of Bowl	Height of Back
20 x 24"	20"	24"	12 $\frac{1}{2}$ x 17"	6"

PRICES

Size	20 x 24"	
Plate F 2058 E, as described		\$39.00
Plate F 2058, less all Fittings		26.00

The RANDALL Lavatory can also be furnished cut for Standing Waste, Combination or Chain and Plug.

The RANDALL Lavatory can be furnished also in the 18 x 20" size, cut for Pop-up or Chain and Plug.



MERCHANT—Plate F 2062 E

“Standard” Vitreous China MERCHANT Lavatory with Oval Bowl, Back and Side Arms; supported on Vitreous China Leg. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Size	Actual Width	Actual Length	Size of Bowl	Height of Back
21 x 24"	21"	24"	12 $\frac{1}{2}$ x 16"	7"

PRICES

Size	21 x 24"
Plate F 2062 E, as described	\$40.25
Plate F 2062, less all Fittings	32.00

The MERCHANT Lavatory can also be furnished cut for Standing Waste, Combination or Pop-up Waste.



WOODMAN—Plate F 2068 E

“Standard” Vitreous China WOODMAN Lavatory with Oval Bowl and Back; supported on Vitreous China Leg. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Size	Actual Width	Actual Length	Size of Bowl	Height of Back
21 x 24"	21"	24"	12 $\frac{1}{2}$ x 16"	7"

PRICES

Size	21 x 24"
Plate F 2068 E, as described	\$40.00
Plate F 2068, less all Fittings	27.00

The WOODMAN Lavatory can also be furnished cut for Standing Waste, Combination or Chain and Plug.

[BLANK PAGE]



CCA

66,2 Standard

"Standard"









Standard Sanitary Mfg. Co.

PITTSBURGH, PA.

GREAT WESTERN POTTERIES

“Standard”

VITRITE China Combinations

POTTERIES:

KOKOMO, INDIANA

TIFFIN, OHIO


KOKOMO INDIANA POTTERY




Standard Sanitary Mfg. Co.
PITTSBURGH, PA.

GREAT WESTERN POTTERIES
KOKOMO, IND. TIFFIN, OHIO.

TIFFIN OHIO POTTERY





TRAFTON—Plate F 2000 G

“Standard” Vitreous China TRAFTON Lavatory with Oval Bowl; supported on Plain Vitreous China Pedestal. Fitted with N. P. Compression Combination Supply and Waste Fitting, N. P. $\frac{3}{8}$ -inch Wall Supply Pipes with China Index Stops and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Sizes	Actual Width	Actual Length	Size of Bowl
23 x 30"	23"	30"	12 $\frac{1}{2}$ x 17"
24 x 33"	24"	33"	13 $\frac{1}{2}$ x 18"

PRICES

Sizes	23 x 30"	24 x 33"
Plate F 2000 G, as described	\$65.75	\$75.75
Plate F 2000, less all Fittings	40.00	50.00

The TRAFTON Lavatory can also be furnished cut for Standing Waste, Pop-up and Chain and Plug.



CHANTRY—Plate F 2005 G

“Standard” Vitreous China CHANTRY Lavatory with Oval Bowl; supported on Fluted Vitreous China Pedestal. Fitted with N. P. Compression Combination Supply and Waste Fitting, N. P. $\frac{3}{8}$ -inch Wall Supply Pipes with China Index Stops and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Sizes	Actual Width	Actual Length	Size of Bowl
22 x 27"	22"	27"	12 $\frac{1}{2}$ x 17"
23 x 30"	23"	30"	12 $\frac{1}{2}$ x 17"
24 x 33"	24"	33"	13 $\frac{1}{2}$ x 18"

PRICES

Sizes	22 x 27"	23 x 30"	24 x 33"
Plate F 2005 G, as described	\$57.75	\$65.75	\$75.75
Plate F 2005, less all Fittings	32.00	40.00	50.00

The CHANTRY Lavatory can also be furnished cut for Standing Waste, Pop-up and Chain and Plug.



BLACKFORD—Plate F 2010 F

“Standard” Vitreous China BLACKFORD Lavatory with Oval Bowl; supported on Square Vitreous China Pedestal. Fitted with N. P. Fuller Combination Supply and Waste Fitting, N. P. $\frac{3}{8}$ -inch Wall Supply Pipes with China Index Stops and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Sizes	Actual Width	Actual Length	Size of Bowl
20 x 24"	20"	24"	12 $\frac{1}{2}$ x 16"
22 x 26"	22"	26"	13" x 16"
22 x 28"	22"	28"	13" x 16"
24 x 30"	24"	30"	14" x 20"
24 x 33"	24"	33"	14" x 20"

PRICES

Sizes	20 x 24"	22 x 26"	22 x 28"
Plate F 2010 F, as described	\$52.75	\$57.75	\$62.25
Plate F 2010, less all Fittings	27.00	32.00	36.50
Sizes	24 x 30"	24 x 33"	
Plate F 2010 F, as described	\$65.75	\$75.75	
Plate F 2010, less all Fittings	40.00	50.00	

The BLACKFORD Lavatory can also be furnished cut for Standing Waste, Pop-up and Chain and Plug.



BRAMPTON—Plate F 2015 G

“Standard” Vitreous China BRAMPTON Lavatory with Oval Bowl; supported on Square Vitreous China Pedestal. Fitted with N. P. Compression Combination Supply and Waste Fitting, N. P. $\frac{3}{8}$ -inch Wall Supply Pipes with China Index Stops and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.


DIMENSIONS

Sizes	Actual Width	Actual Length	Size of Bowl
22 x 27"	22"	27"	12 $\frac{1}{2}$ x 17 $\frac{1}{4}$ "
23 x 30"	23"	30"	13 $\frac{1}{2}$ x 18 $\frac{1}{2}$ "

PRICES

Sizes	22 x 27"	23 x 30"
Plate F 2015 G, as described	\$62.25	\$65.75
Plate F 2015, less all Fittings	36.50	40.00

The BRAMPTON Lavatory can also be furnished cut for Standing Waste, Pop-up and Chain and Plug.



IRIS—Plate F 2022 E

“Standard” Vitreous China IRIS Lavatory with Oval Bowl; supported on Plain Vitreous China Pedestal. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes, and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Diameter of Slab	Size of Bowl
24"	13 x 15"

PRICES

Size	24"
Plate F 2022 E, as described	\$31.25
Plate F 2022, less all Fittings	24.00

The IRIS Lavatory can also be furnished cut for Standing Waste or Pop-up Waste.



IOLA—Plate F 2048 E

“Standard” Vitreous China IOLA Lavatory with Oval Bowl and Back; supported on Fluted Vitreous China Pedestal. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Diameter of Slab	Size of Bowl	Height of Back
24"	13 x 15"	4"

PRICES

Size	24"
Plate F 2048 E, as described	\$39.50
Plate F 2048, less all Fittings	27.50

The IOLA Lavatory can also be furnished cut for Standing Waste or Chain and Plug.



BANGOR—Plate F 2053 E

“Standard” Vitreous China BANGOR Lavatory with Oval Bowl and Back; supported on Square Vitreous China Pedestal. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Wall Supply Pipes with China Index Stops and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Size	Actual Width	Actual Length	Size of Bowl	Height of Back
20 x 24"	20"	24"	12 $\frac{1}{2}$ x 16"	6"

PRICES

Size	20 x 24"
Plate F 2053 E, as described	\$51.00
Plate F 2053, less all Fittings	33.00

The BANGOR Lavatory can also be furnished cut for Standing Waste, Combination or Chain and Plug.



RANDALL—Plate F 2058 E

“Standard” Vitreous China RANDALL Lavatory with Oval Bowl and Back; supported on Vitreous China Leg. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Size	Actual Width	Actual Length	Size of Bowl	Height of Back
20 x 24"	20"	24"	12 $\frac{1}{2}$ x 17"	6"

PRICES

Size	20 x 24"
Plate F 2058 E, as described	\$39.00
Plate F 2058, less all Fittings	26.00

The RANDALL Lavatory can also be furnished cut for Standing Waste, Combination or Chain and Plug.

The RANDALL Lavatory can be furnished also in the 18 x 20" size, cut for Pop-up or Chain and Plug.



MERCHANT—Plate F 2062 E

“Standard” Vitreous China MERCHANT Lavatory with Oval Bowl, Back and Side Arms; supported on Vitreous China Leg. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Size	Actual Width	Actual Length	Size of Bowl	Height of Back
21 x 24"	21"	24"	12 $\frac{1}{2}$ x 16"	7"

PRICES

Size	21 x 24"
Plate F 2062 E, as described	\$40.25
Plate F 2062, less all Fittings	32.00

The MERCHANT Lavatory can also be furnished cut for Standing Waste, Combination or Pop-up Waste.



WOODMAN—Plate F 2068 E

“Standard” Vitreous China WOODMAN Lavatory with Oval Bowl and Back; supported on Vitreous China Leg. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Size	Actual Width	Actual Length	Size of Bowl	Height of Back
21 x 24"	21"	24"	12 $\frac{1}{2}$ x 16"	7"

PRICES

Size	21 x 24"
Plate F 2068 E, as described	\$40.00
Plate F 2068, less all Fittings	27.00

The WOODMAN Lavatory can also be furnished cut for Standing Waste, Combination or Chain and Plug.



CARLETON—Plate F 2077 E

“Standard” Vitreous China CARLETON Lavatory with Oval Bowl and Back; supported on Vitreous China Leg. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.


DIMENSIONS

Diameter of Slab	Size of Bowl	Height of Back
20"	12 $\frac{1}{2}$ x 14 $\frac{1}{2}$ "	4"
24"	13" x 15"	4"

PRICES

Sizes	20"	24"
Plate F 2077 E, as described	\$24.25	\$27.75
Plate F 2077, less all Fittings	17.00	20.50

The CARLETON Lavatory can also be furnished cut for Standing Waste or Pop-up Waste.



HARCOURT—Plate F 2082 E

“Standard” Vitreous China HARCOURT Lavatory with Oval Bowl and Back; supported on Vitreous China Leg. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Cross Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Size	Actual Width	Actual Length	Size of Bowl	Height of Back
18 x 20"	18"	20"	11 x 15"	8"

PRICES

Size	18 x 20"
Plate F 2082 E, as described	\$30.75
Plate F 2082, less all Fittings	20.00

The HARCOURT Lavatory can also be furnished cut for Standing Waste or Pop-up Waste.



HIBBEN—Plate F 2100 G

“Standard” Vitreous China HIBBEN Lavatory with Oval Bowl; supported on Vitreous China Leg. Fitted with N. P. Compression Combination Supply and Waste Fitting, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Size	Actual Width	Actual Length	Size of Bowl
20 x 24"	20"	24"	12 $\frac{1}{2}$ x 15 $\frac{1}{2}$ "

PRICES

Size	20 x 24"
Plate F 2100 G, as described	\$43.25
Plate F 2100, less all Fittings	20.00

The HIBBEN Lavatory can also be furnished cut for Standing Waste, Pop-up or Chain and Plug.



HIBBEN—Plate F 2103 E

“Standard” Vitreous China HIBBEN Lavatory with Oval Bowl; supported on Vitreous China Leg. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Sizes	Actual Width	Actual Length	Size of Bowl
18 x 20"	18"	20"	10 $\frac{1}{2}$ x 15"
20 x 24"	20"	24"	12 $\frac{1}{2}$ x 15 $\frac{1}{2}$ "

PRICES

Sizes	18 x 20"	20 x 24"
Plate F 2103 E, as described	\$28.00	\$33.00
Plate F 2103, less all Fittings	15.00	20.00

The HIBBEN Lavatory can also be furnished cut for Chain and Plug.



VINCENT—Plate F 2107 E

"Standard" Vitreous China VINCENT Lavatory with Oval Bowl; supported on Vitreous China Leg. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch "P" Trap without Vent.

DIMENSIONS			
Sizes	Actual Width	Actual Length	Size of Bowl
18 x 20"	18"	20"	10 $\frac{1}{2}$ x 16"
20 x 24"	20"	24"	12 $\frac{1}{2}$ x 15 $\frac{1}{2}$ "

PRICES

Sizes	18 x 20"	20 x 24"
Plate F 2107 E, as described	\$23.25	\$28.25
Plate F 2107, less all Fittings	15.00	20.00

The VINCENT Lavatory can also be furnished cut for Standing Waste, Combination or Pop-up Waste.



MAYCO—Plate F 2112 E


"Standard" Vitreous China MAYCO Lavatory with Oval Bowl; supported on Vitreous China Leg. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch "P" Trap without Vent.

DIMENSIONS			
Size	Actual Width	Actual Length	Size of Bowl
21 x 24"	21"	24"	12 $\frac{1}{2}$ x 16"

PRICES

Size	21 x 24"
Plate F 2112 E, as described	\$29.25
Plate F 2112, less all Fittings	21.00

The MAYCO Lavatory can also be furnished cut for Standing Waste, Combination or Pop-up Waste.




TONSORIAL—Plate F 2128 H

“Standard” Vitreous China TONSORIAL Lavatory with Oval Bowl; supported on Square Vitreous China Pedestal. Fitted with N. P. Pop-up Waste with China Knob, N. P. Fuller Faucets with Shampoo Combination with Compression Valves and Rubber Hose and Sprinkler, N. P. $\frac{1}{2}$ -inch Wall Supply Pipes with China Index Stops and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS		
Size	Actual Width	Actual Length
22 x 27"	22"	27"

PRICES

Size	22 x 27"
Plate F 2128 H, as described	\$85.00
Plate F 2128, less all Fittings	36.50




NUBIA—Plate F 2138 H

“Standard” Vitreous China NUBIA Lavatory with Back, Oval Basin and Round Dental Bowl with Full Splash Rim; supported on Vitreous China Leg. Fitted with Combination Fittings consisting of N. P. China Knob Pop-up Waste, N. P. Low Down Compression China Cross Handle Faucets for Large Bowl and N. P. China Cross Handle Faucet with Goose-neck and Rim Flushing Fitting for Dental Bowl, N. P. $\frac{1}{2}$ -inch Wall Supply Pipes with China Index Stops and N. P. $1\frac{1}{2}$ -inch “P” Trap without Vent.

DIMENSIONS			
Size of Lavatory	Size of Large Basin	Diameter Small Basin	Height of Back
20 x 27"	12 x 14"	7"	6"

PRICES

Size	20 x 27"
Plate F 2138 H, as described	\$85.50
Plate F 2138, less all Fittings	37.50



GASCO—Plate F 2146 D

“Standard” Vitreous China GASCO Lavatory with Oval Bowl and Integral Back and Sides. Fitted with N. P. “Imperial” China Knob Waste, N. P. “Torrance” China Index and Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.



DIMENSIONS

Sizes	Actual Width	Actual Length	Size of Bowl	Height of Back and Sides
20 x 24"	20"	24"	11 x 15 $\frac{1}{2}$ "	6"
20 x 28"	20"	28"	12 x 17"	6"
22 x 32"	22"	32"	13 $\frac{1}{2}$ x 20"	6"

PRICES

Sizes	20 x 24"	20 x 28"	22 x 32"
Plate F 2146 D, as described	\$64.25	\$74.25	\$87.75
Plate F 2146, less all Fittings	48.50	58.50	72.00

The GASCO Lavatory can also be furnished cut for Combination, Pop-up or Chain and Plug.



LUCERNE—Plate F 2157 E

“Standard” Vitreous China LUCERNE Lavatory with Oval Bowl and Back. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch Bag Trap.

DIMENSIONS

Sizes	Actual Width	Actual Length	Size of Bowl	Height of Back
18 x 20"	18"	20"	10 $\frac{1}{2}$ x 15"	6" or 8"
20 x 24"	20"	24"	12 $\frac{1}{2}$ x 17"	6" or 8"

PRICES

Sizes	18 x 20"	20 x 24"
Plate F 2157 E, as described, 6-inch Back . . .	\$21.75	\$30.75
Plate F 2157, Lavatory only, less all Fittings, 6-inch Back	13.00	22.00
Plate F 2157 E, as described, 8-inch Back	23.25	37.75
Plate F 2157, Lavatory only, less all Fittings, 8-inch Back	14.50	29.00

The LUCERNE Lavatory can also be furnished cut for Standing Waste or Pop-up Waste.

GRASSMERE—Plate F 2162 E

“Standard” Vitreous China GRASSMERE Lavatory with Oval Bowl and Back. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Sizes	Actual Width	Actual Length	Size of Bowl	Height of Back
18 x 20"	18"	20"	15 x 10 $\frac{1}{2}$ "	6"
18 x 24"	18"	24"	12 $\frac{1}{2}$ x 17 $\frac{1}{2}$ "	6"

PRICES

Sizes	18 x 20"	18 x 24"
Plate F 2162 E, as described	\$21.25	\$30.25
Plate F 2162, less all Fittings	14.00	23.00

The GRASSMERE Lavatory can also be furnished cut for Standing Waste or Pop-up Waste.



CARMEN—Plate F 2177 E

“Standard” Vitreous China CARMEN Lavatory with Oval Bowl and Back. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Sizes	Actual Width	Actual Length	Size of Bowl	Height of Back
18 x 20"	18"	20"	10 $\frac{1}{2}$ x 15"	6" or 8"
20 x 24"	20"	24"	12 $\frac{1}{2}$ x 17"	6" or 8"

PRICES

Sizes	18 x 20"	20 x 24"
Plate F 2177 E, as described, 6-inch Back	\$20.25	\$29.25
Plate F 2177, Lavatory only, less all Fittings, 6-inch Back	13.00	22.00
Plate F 2177 E, as described, 8-inch Back	21.75	36.25
Plate F 2177, Lavatory only, less all Fittings, 8-inch Back	14.50	29.00

BELAIR—Plate F 2182 E

“Standard” Vitreous China BELAIR Boat or Car Lavatory with Oval Bowl, Back and Full Splash Rim. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucet, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipe and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Size of Lavatory	Size of Bowl	Height of Back
16 x 16 $\frac{1}{2}$ "	10 $\frac{1}{2}$ x 13"	4"

PRICES

Size	16 x 16 $\frac{1}{2}$ "
Plate F 2182 E, as described	\$16.00
Plate F 2182, less all Fittings	11.00



FERMA—Plate F 2193 E

“Standard” Vitreous China FERMA Lavatory with Oval Bowl and Back. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS				
Size	Actual Width	Actual Length	Size of Bowl	Height of Back
21 x 24"	21"	24"	12 $\frac{1}{2}$ x 16"	7"

PRICES

Size	21 x 24"
Plate F 2193 E, as described	\$35.00
Plate F 2193, less all Fittings	22.00

The FERMA Lavatory can also be furnished cut for Combination or Chain and Plug.

ELSTON—Plate F 2198 E

“Standard” Vitreous China ELSTON Lavatory with Oval Bowl and Back. Fitted with N. P. Pop-up Waste with China Lever Handle, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS				
Size	Actual Width	Actual Length	Size of Bowl	Height of Back
18 x 20"	18"	20"	10 $\frac{1}{2}$ x 15 $\frac{1}{2}$ "	6"

PRICES

Size	18 x 20"
Plate F 2198 E, as described	\$26.00
Plate F 2198, less all Fittings	13.00

The ELSTON Lavatory can also be furnished cut for Combination or Chain and Plug.



CHELSEA—Plate F 2202 E

“Standard” Vitreous China CHELSEA Lavatory with Oval Bowl and Back. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

D I M E N S I O N S

Diameter of Slab	Size of Bowl	Height of Back
20"	12 $\frac{1}{2}$ x 14"	4"
24"	13" x 15"	4"

P R I C E S

Sizes	20"	24"
Plate F 2202 E, as described	\$20.25	\$23.75
Plate F 2202, less all Fittings	13.00	16.50

The CHELSEA Lavatory can also be furnished cut for Pop-up Waste.



MARCOSA—Plate F 2207 E


“Standard” Vitreous China MARCOSA Lavatory with Oval Bowl and Back. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

D I M E N S I O N S

Size	Actual Width	Actual Length	Size of Bowl	Height of Back
13 x 26"	13"	26"	10 x 16 $\frac{1}{2}$ "	4"

P R I C E S

Size	13 x 26"
Plate F 2207 E, as described	\$20.25
Plate F 2207, less all Fittings	13.00



FENWICK—Plate F 2212 E

“Standard” Vitreous China FENWICK Corner Lavatory with Oval Bowl and Integral Back. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch Bag Trap.

DIMENSIONS

Size	Length on Sides	Size of Bowl	Height of Back
17 x 17"	17"	11 $\frac{1}{2}$ x 15"	6"

PRICES

Size	17 x 17"
Plate F 2212 E, as described	\$23.25
Plate F 2212, less all Fittings	16.00

The FENWICK Lavatory can also be furnished cut for Standing Waste or Pop-up Waste.

LYNDEN—Plate F 2217 E

“Standard” Vitreous China LYNDEN Corner Lavatory with Oval Bowl and Integral Back. Fitted with N. P. Waste Plug and Rubber Stopper, N. P. Low Down Compression China Index Handle Faucets, N. P. $\frac{3}{8}$ -inch Plain Wall Supply Pipes and N. P. $1\frac{1}{4}$ -inch “P” Trap without Vent.

DIMENSIONS

Size	Length on Sides	Size of Bowl	Height of Back
19 x 19"	19"	11 $\frac{1}{2}$ x 15"	6"

PRICES

Size	19 x 19"
Plate F 2217 E, as described	\$34.25
Plate F 2217, less all Fittings	27.00

The LYNDEN Lavatory can also be furnished cut for Standing Waste or Pop-up Waste.

If wanted with Single Leg, add \$4.00.



PRISON LAVATORY—Plate F 2222

“Standard” Vitreous China PRISON Lavatory with Bowl and Integral Back. Fitted with N. P. Push Button Valve with Regulator, Waste Plug with Revolving Disc and Spout which can be furnished either turned up for Drinking Fountain or turned down for Lavatory Supply.

PRICE
Plate F 2222, as described

\$24.00



PRISON LAVATORY—Plate F 2227

“Standard” Vitreous China PRISON Lavatory with Bowl and Integral Back. Fitted with N. P. Waste Plug and Rubber Stopper with 1 1/4-inch Spud Outlet and N. P. Push Button Valve.

PRICE
Plate F 2227, as described \$14.50



NEWINN—Plate F 2240

“Standard” Vitreous China NEWINN Dental Lavatory with Back, Full Splash Rim and Integral Vitreous China Spout. Fitted with N. P. Compression Cross Handle Faucet, N. P. Plain Wall Supply Pipe and N. P. Trap without Vent.

D I M E N S I O N S

Size	Diameter of Bowl	Height of Back
10 x 12"	6"	2"

P R I C E

Size	10 x 12"	
Plate F 2240, as described		\$21.00



NEWINN—Plate F 2245

“Standard” Vitreous China NEWINN Dental Lavatory with Back and Full Splash Rim. Fitted with N. P. Low Down Compression China Index Handle Basin Faucet, N. P. Plain Wall Supply Pipe and N. P. Trap without Vent.

D I M E N S I O N S

Size	Diameter of Bowl	Height of Back
10 x 12"	6"	2"

P R I C E

Size	10 x 12"	
Plate F 2245, as described		\$16.50



Plate F 2250 F

“Standard” Vitreous China Lavatory with Oval Bowl and Integral Back; supported on Vitreous China Legs. Fitted with N. P. Fuller Combination Supply and Waste Fitting, N. P. $\frac{1}{2}$ -inch Floor Supply Pipes and N. P. $1\frac{1}{2}$ -inch Flask Trap to Floor and Vent to Wall.

DIMENSIONS

Size	Actual Width	Actual Length	Size of Bowl	Height of Back
24 x 30"	24"	30"	13 $\frac{1}{2}$ x 18"	10"

PRICES

Size	24 x 30"
Plate F 2250 F, as described	\$108.50
Plate F 2250, less all Fittings	76.00

The above Lavatory can also be furnished cut for Standing Waste, Pop-up, or Chain and Plug.



Plate F 2255 J

“Standard” Vitreous China Clinic Lavatory with Oval Bowl and Depressed Instrument Tray on each side; supported on Vitreous China Legs and Wall Braces. Fitted with N. P. Goose-neck Pattern Faucet with Removable Rose Spray, and Knee-action Levers to control Hot and Cold Water Supply, N. P. Waste Outlet controlled by Knee Lever and N. P. $1\frac{1}{2}$ -inch Non-syphoning Brass Trap to Floor.

DIMENSIONS

Size	Actual Width	Actual Length	Size of Bowl	Size Instrument Trays
24 x 36"	24"	36"	13 x 17"	6 $\frac{1}{2}$ x 14 $\frac{1}{2}$ "

PRICES

Size	24 x 36"
Plate F 2255 J, as described	\$177.00
Plate F 2255, less all Fittings	74.50

The above Fixture made to conform with Government 1910 Specifications (U. S. 36 R 2 L).




Plate F 2262 E

"Standard" Vitreous China Lavatories with Oval Bowls and Integral Backs, in Battery of Four Lavatories. Fitted with N. P. Waste Plugs and Rubber Stoppers, N. P. Low Down Compression China Index Handle Faucets and N. P. Continuous Waste with "S" Trap without Vent.

DIMENSIONS

Size, 18 x 20 inches

Diameter of Bowl, 10½ x 15 inches

Height of Back, 6 inches

PRICES

	18 x 20"
Plate F 2262 E, as described	\$85.00
Plate F 2262, less all Fittings	52.00
Plate F 2262 E, each additional Lavatory complete	21.00
Plate F 2262, each additional Lavatory, less all Fittings	13.00




Plate F 2272 G

"Standard" Vitreous China Lavatories with Oval Bowls, Depressed Soap Dishes; supported on Vitreous China Legs in Battery of Three Lavatories. Fitted with N. P. Waste Plugs and Rubber Stoppers, N. P. Self-closing Basin Faucets, N. P. Floor Supplies with Air Chambers and N. P. Continuous Waste with Trap to Floor.

DIMENSIONS

Sizes { 20 x 22 inches
20 x 24 inches

Diameter of Bowl { 12½ x 17 inches
12¾ x 17¾ inches

PRICES

	20 x 22"	20 x 24"
Plate F 2272 G, as described	\$145.00	\$145.00
Plate F 2272, less all Fittings	76.50	76.50
Plate F 2272 G, each additional Lavatory with Leg and Fittings complete	48.50	48.50
Plate F 2272, each additional Lavatory with Leg, less all Fittings	25.50	25.50
If wanted with 6-inch Back, add for each Lavatory	6.00	6.00




Plate F 2287 F

“Standard” Vitreous China Lavatories with Heavy Roll Rim and Integral Soap Dishes in Double Battery of Four Bowls on each side, supported on Galvanized Cast-iron Frame; fitted with N. P. Brass 1½-inch Waste Plugs, Overflow Strainers with Chain attached, Two N. P. Brass 1½-inch Continuous Wastes with 2-inch Anti-syphoning Traps, and Galvanized Iron Pipe for Hot and Cold Water with one Hot and one Cold N. P. Fuller Bibb for each Lavatory.

DIMENSIONS


Size, 18 x 20 inches Depth Inside, 6½ inches

PRICES

Plate F 2287 F, as described	\$281.50
For each additional pair of Lavatories complete, add	70.50

Plate F 2297 F

“Standard” Vitreous China Lavatories with Heavy Roll Rim and Integral Soap Dishes in Battery of Four Lavatories, supported on Galvanized Cast-iron Concealed Frame with Adjustable Legs with Ball Feet; fitted with N. P. Brass 1½-inch Waste Plugs, Overflow Strainers with Chain attached, N. P. 1½-inch Continuous Waste with N. P. 2-inch “S” Trap with Vent, and Galvanized Iron Pipe for Hot and Cold Water with one Hot and one Cold N. P. Fuller Bibb for each Lavatory.




DIMENSIONS

Size, 18 x 20 inches Depth Inside, 6½ inches

PRICES

Plate F 2297 F, as described	\$148.75
For each additional Lavatory complete, add	37.25



MILADY—Plate F 2310

“Standard” Vitreous China MILADY Manicuring Table with Center Bowl; supported on Vitreous China Leg and N. P. Wall Supports. Fitted with N. P. Pop-up Waste with China Lever Handle, Concealed Supply to Bowl with Four-arm China Handle Controlling Valves on Supply Pipes to Wall and N. P. “P” Trap without Vent.

DIMENSIONS

Size of Slab	Diameter of Basin	Height to Top of Slab
18 x 32"	6"	31"

PRICES

Plate F 2310, as described	\$54.00
Plate F 2310, less all Fittings	34.00



Plate F 2325

"Standard" Vitreous China Pedestal Drinking Fountain; fitted with Vitreous China Continuous Flow Bubbler, Brass Supply Pipe with Loose Key Valve and Galvanized Waste Pipe with Brass Trap.

PRICE

Height	30"
Plate F 2325, as described	\$35.50



Plate F 2327

"Standard" Vitreous China Pedestal Drinking Fountain; fitted with Vitreous China Continuous Flow Bubbler controlled by Foot-operated Self-closing Valve in Floor Plate, Concealed Supply Pipe and Galvanized Waste Pipe to Floor.

PRICE

Height	30"
Plate F 2327, as described	\$47.50




Plate F 2345

“Standard” Vitreous China Wall Drinking Fountain; fitted with Vitreous China Continuous Flow Bubbler controlled by N. P. Self-closing Valve, Concealed Supply Pipe and Concealed Trap.

D I M E N S I O N S

Height of Back Over All	Diameter of Basin Over All
9"	12"

P R I C E

Plate F 2345, as described \$26.50



Plate F 2350

“Standard” Vitreous China Wall Drinking Fountain; fitted with Vitreous China Continuous Flow Bubbler, N. P. Brass Supply Pipe with Loose Key Valve and N. P. Brass Trap to Wall.

D I M E N S I O N S

Height of Back Over All	Diameter of Basin Over All
9 $\frac{3}{4}$ "	13"

P R I C E

Plate F 2350, as described \$22.50



Plate F 2355

“Standard” Vitreous China Drinking Fountain; supported by N. P. Brass Wall Brackets; fitted with Vitreous China Continuous Flow Bubbler controlled by N. P. China Lever Handle Self-closing Valve, N. P. Brass Supply Pipe and N. P. “P” Trap without Vent.

DIMENSIONS			
Outside Diam. of Bowl	Inside Diam. of Bowl	Depth of Bowl	Wall to Front of Bowl
9 $\frac{1}{2}$ "	7 $\frac{3}{4}$ "	2 $\frac{1}{2}$ "	10 $\frac{1}{2}$ "

PRICE

Plate F 2355, as described

\$18.50



Plate F 2375

“Standard” Vitreous China Wall Drinking Fountain with Integral Vitreous China Trap; fitted with Vitreous China Continuous Flow Bubbler controlled by N. P. Four-arm China Handle Self-closing Valve and N. P. Four-arm China Handle Self-closing Valve for Drinking Glass Supply, and Brass Supply Pipe.

DIMENSIONS			
Height of Back Over All	Width Over All	Outside Diam. of Bowl	Inside Diam. of Bowl
25"	11 $\frac{3}{4}$ "	13 $\frac{1}{2}$ "	10 $\frac{3}{4}$ "

PRICE

Plate F 2375, as described

\$37.00



Plate F 2385

“Standard” Vitreous China Wall Drinking Fountain; fitted with N. P. Four-arm China Handle Self-closing Supply Valve, N. P. Brass Strainer and N. P. Brass Waste Ell to Wall.

D I M E N S I O N S

Height of Back Over All	Width Over All	Wall to Outside Edge
15"	12"	8"

P R I C E

Plate F 2385, as described \$18.00



Plate F 2395

“Standard” Vitreous China Wall Drinking Fountain; fitted with N. P. Push Button Valve with Vitreous China Bubbling Cup and N. P. Waste Ell to Wall.

D I M E N S I O N S

Height Over All	Width Over All
12"	11"

P R I C E

Plate F 2395, as described \$17.50



Plate F 2750 J

“Standard” Vitreous China Roll Rim Sink supported on Vitreous China Legs and Wall Supports. Fitted with N. P. Goose-neck Pattern Compression Faucets with China Indexed Handles and Removable Rose Sprays, N. P. $\frac{3}{4}$ -inch Wall Supply Pipes with Compression Wheel Handle Stops, N. P. Brass Strainer and N. P. $1\frac{1}{2}$ -inch Non-syphoning Trap to Floor.

D I M E N S I O N S

Size	Actual Width	Actual Length	Depth
24 x 30"	24"	30"	7"

P R I C E S

Size	24 x 30"	
Plate F 2750 J, as described	\$88.00	
Plate F 2750, less all Fittings, except Wall Supports	60.00	

The above Fixture made to conform with Government 1910 Specifications (U. S. 30).




Plate F 2751 D

“Standard” Vitreous China Roll Rim Sink with Integral Back, supported on Vitreous China Legs and Wall Supports. Fitted with N. P. $\frac{3}{4}$ -inch Fuller Bibbs, N. P. Brass Strainer and N. P. $1\frac{1}{2}$ -inch Non-syphoning Trap to Floor.

D I M E N S I O N S

Sizes	Depth	Height of Back
20 x 24"	7"	7"
24 x 30"	7"	10"

P R I C E S

Sizes	20 x 24"	24 x 30"
Plate F 2751 D, as described	\$67.00	\$101.00
Plate F 2751, less all Fittings, except Wall Supports	46.00	80.00



Plate F 2921

“Standard” Vitreous China Syphon Jet, Integral Flushing Rim Slop Sink and Vitreous China High Tank. Fitted with N. P. Combination Compression Faucet with China Indexes and Bucket Hook with Wall Brace, N. P. $\frac{3}{4}$ -inch Wall Supply Pipes with Wheel Handle Stops. Tank fitted with High Pressure Top Supply Ball Cock, Chain and Pull with N. P. Guide and N. P. $1\frac{1}{2}$ -inch Flush Pipe.

D I M E N S I O N S

Size	Depth to Strainer Plate
20 x 20"	10"

P R I C E

Size	20 x 20"
Plate F 2921, as described	\$158.00



Plate F 2922

“Standard” Vitreous China Roll Rim Slop Sink and Porcelain Enamelled Inside, Adjustable Trap with Cleanout. Fitted with N. P. Combination Compression Faucet with China Indexes, Wall Brace and Bucket Hook and N. P. Brass Strainer.

D I M E N S I O N S

Size	Approximate Depth Inside
18 x 22"	12"

P R I C E S

Size	18 x 22"
Plate F 2922, as described	\$45.00
Plate F 2922, less all Fittings	32.00



Plate F 3170



Plate F 3171

"Standard" ALTA VITRITE Syphon Jet Urinal with No. 10 Exposed N. P. Metric Junior Push Button Valve with Concealed Lock Shield Controlling Valve, N. P. Inlet and Brass Outlet Connections with N. P. Wall Bolts.

PRICE

Plate F 3171, as described \$33.50
NOTE—No Waste Fittings or Pipe furnished.



Plate F 3170

"Standard" ALTA VITRITE Syphon Jet Urinal with No. 12 Concealed Metric Junior Push Button Valve with Controlling Stop and Push Button through Wall, Brass Inlet and Outlet Connections with N. P. Wall Bolts.

PRICE

Plate F 3170, as described \$32.50
NOTE—No Waste Fittings or Pipe furnished.

Plate F 3170—Side View



Plate F 3173

“Standard” ALTA VITRITE Syphon Jet Urinal with VITRITE Automatic Urinal Tank, $\frac{3}{8}$ -inch N. P. Supply Pipe to Wall with Angle Compression Wheel Handle Stop, N. P. Flush Pipe and Inlet and Brass Outlet Connections with N. P. Wall Bolts.




Plate F 3175

“Standard” ALTA VITRITE Syphon Jet Urinals in Battery of three with VITRITE Automatic Urinal Tank, $\frac{3}{8}$ -inch N. P. Supply Pipe to Wall with Angle Compression Wheel Handle Stop, N. P. Flush Pipes and Inlet and Brass Outlet Connections with N. P. Wall Bolts.

PRICES

Plate F 3173, Single	\$34.25
Plate F 3174, Battery of Two	61.00
Plate F 3175, Battery of Three	87.75



Plate F 3260

"Standard" VITRITE Low Down Straight Front Closet Tank with Top Lever.

Sizes	No. 1	No. 2
Plate F 3260, with Fittings	\$18.00	\$16.00
Plate F 3260, less Fittings	11.00	10.50



Plate F 3261

"Standard" VITRITE Low Down Curved Top Straight Front Closet Tank with Top Lever.

Sizes	No. 1	No. 2
Plate F 3261, with Fittings	\$18.00	\$16.00
Plate F 3261, less Fittings	11.00	10.50



Plate F 3262

"Standard" VITRITE Curved Front and Curved Top Low Down Closet Tank with Top Lever.

Plate F 3262, with Fittings	\$18.00
Plate F 3262, less Fittings	11.00



Plate F 3263

"Standard" VITRITE Curved Front and Curved Top Low Down Closet Tank with Bottom Compound Lever.

Plate F 3263, with Fittings	\$20.00
Plate F 3263, less Fittings	12.00



PATENTED MARCH 16, 1915

Plate F 3352

"Standard" VITRITE Closet Combination with **DEVORO** Syphon Jet Bowl with Square Base; VITRITE Straight Front Low Down Tank with Top China Lever Handle, $\frac{3}{8}$ -inch Nickel-plated I. P. S. Wall Supply with China Index Compression Angle Stop, VITRITE Flush Connection, Ivorite Square Back Saddle Seat and Cover and Cast Brass Floor Flange with Bolts and Porcelain Bolt Caps.

PRICE

Plate F 3352, as described \$40.00



PATENTED MARCH 16, 1915

Plate F 3353

"Standard" VITRITE Closet Combination with **DEVORO** Syphon Jet Bowl with Extended Lip, and Square Base; VITRITE Straight Front Low Down Tank with Top China Lever Handle, $\frac{3}{8}$ -inch Nickel-plated I. P. S. Wall Supply with China Index Compression Angle Stop, VITRITE Flush Connection, Ivorite Square Back, open Front Seat and Cover with Nickel-plated Cast Brass Reinforcement, and Cast Brass Floor Flange with Bolts and Porcelain Bolt Caps.

PRICE

Plate F 3353, as described \$45.00



PATENTED APR. 14, 1914
PATENTED MARCH 16, 1915

Plate F 3354

"Standard" VITRITE Closet Combination with **DEVORO** Syphon Jet Bowl with Extended Lip, **Integro** Vent with VITRITE Wall Flange, and Square Base, VITRITE Straight Front Low Down Tank with Top China Lever Handle, $\frac{3}{8}$ -inch Nickel-plated I. P. S. Wall Supply with China Index Compression Angle Stop, VITRITE Flush Connection, Ivorite Square Back, open Front Seat and Cover with Nickel-plated Cast Brass Reinforcement, and Cast Brass Floor Flange with Bolts and Porcelain Bolt Caps.

PRICE

Plate F 3354, as described \$53.00



PATENTED MARCH 23, 1915

Plate F 3355

"Standard" VITRITE Closet Combination with **EXPULSO** Bowl with Square Base; VITRITE Wave Front Low Down Tank with Top China Lever Handle, $\frac{3}{8}$ -inch Nickel-plated I. P. S. Wall Supply with China Index Compression Angle Stop, VITRITE Flush Connection, Ivorite Square Back Saddle Seat and Cover, and Cast Brass Floor Flange with Bolts and Porcelain Bolt Caps.

PRICE

Plate F 3355, as described \$35.00



PATENTED MARCH 23, 1915

Plate F 3356

"Standard" VITRITE Closet Combination with *Ejector* Syphonic Action Bowl with Square Base; VITRITE Straight Front Low Down Tank with Top China Lever Handle, $\frac{3}{8}$ -inch Nickel-plated I. P. S. Wall Supply with Wheel Handle Compression Angle Stop, Nickel-plated Flush Connection, Birch Mahogany Finished Seat and Cover and Floor Flange with Bolts and Porcelain Bolt Caps.

PRICE

Plate F 3356, as described \$25.00



PATENTED MARCH 16, 1915

Plate F 3357

"Standard" VITRITE Closet Combination with **PEDESTO** Syphon Jet Bowl with Square Base; VITRITE Panel Front Flat Top Low Down Tank with Top China Lever Handle, $\frac{3}{8}$ -inch Nickel-plated I. P. S. Wall Supply with China Index Compression Angle Stop, VITRITE Flush Connection, Ivorite Square Back, open Front Seat and Cover with Nickel-plated Cast Brass Reinforcement, and Cast Brass Floor Flange with Bolts and Porcelain Bolt Caps.

PRICE

Plate F 3357, as described \$55.00



PATENTED APR. 15, 1913
PATENTED NOV. 3, 1914
PATENTED MAR. 16, 1915

Plate F 3358

"Standard" VITRITE Closet Combination with **PURIMO** Syphon Jet Bowl with Extended Front and Back Non-soiling Rim and Square Base; VITRITE Straight Front Low Down Tank with Top China Lever Handle, $\frac{3}{8}$ -inch Nickel-plated I. P. S. Wall Supply with China Index Compression Angle Stop, VITRITE Flush Connection, Ivorite Seat open at Front and Back with Cover, and Nickel-plated Cast Brass Reinforcement Front and Back, and Cast Brass Floor Flange with Bolts and Porcelain Bolt Caps.

PRICE

Plate F 3358, as described \$49.50



PATENTED APR. 15, 1913
PATENTED NOV. 3, 1914
PATENTED MAR. 16, 1915

Plate F 3359

"Standard" VITRITE Closet Combination with **PURIMO** Syphon Jet Bowl with Extended Front and Back Non-soiling Rim and Square Base; VITRITE Straight Front Low Down Tank with Bottom Compound China Lever Handle, $\frac{3}{8}$ -inch Nickel-plated I. P. S. Wall Supply with China Index Compression Angle Stop, VITRITE Flush Connection, Ivorite Seat, open at Front and Back, with Cover and Nickel-plated Cast Brass Reinforcement Front and Back, and Cast Brass Floor Flange with Bolts and Porcelain Bolt Caps.

PRICE

Plate F 3359, as described \$52.00









[BLANK PAGE]



CCA